


| REV | | DESCRIPTION | DATE | APPROVE |
|-----|--|-------------|------|---------|
| | | | | |



881 2 634 000 BATI SUPPORT MOTEUR

RE-DRAWN FOR 1½ X 2 REC TUBING


PRICED AT \$52.00 PER 20FT LENGTH - PER TODD AT COYOTE 10 JAN 2005

| PART # | QTY | DESCRIPTION |
|--------|-----|-------------|
| | | ARRIEL |
| | | |
| | | |
| | | |

| | |
|--|---------------------------------|
| DRAWN BY: | COLE |
| APPROVED | |
| HEAT TREAT | |
| FINISH SPEC | |
| TOLERANCES ON: DECIMALS .XXX ± .010 XX ± .03 X ± .1 | FRACTIONS ± 1/32 ANGLES ± 5° |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 X 45° PR .015 R | |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |


RB RED BARN MACHINE
TITLE BATI SUPPORT MOTEUR
DWG NO. 8812331000 RI
SCALE NTS DATE 2-02-05 SHEET 1 of 1

| REVISIONS | | | |
|-----------|-------------|------|---------|
| REV | DESCRIPTION | DATE | APPROVE |
| | | | |



| PART # | QTY | DESCRIPTION | USED ON MODEL | DRAWN BY: |
|--------|-----|-----------------------------------|---------------|---|
| | | | | COLE |
| -1A | 1 | TUBING, RECTANGULAR - 1 1/4" x 2" | ARRIEL | APPROVED |
| | | | | HEAT TREAT |
| | | | | FINISH SPEC |
| | | | | TOLERANCES ON: DECIMALS .XXX ± .010 FRACTIONS ± 1/32 .XX ± .03 ANGLES ± .5° X ± .1 |
| | | | | UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |
| | | | | DWG NO. RI |
| | | | | SCALE NTS DATE 1-10-05 SHEET 1 of |

| REVISIONS | | | |
|-----------|-------------|------|---------|
| REV | DESCRIPTION | DATE | APPROVE |
| | | | |



| PART # | QTY | DESCRIPTION |
|--------|-----|-----------------------------------|
| -1B | 2 | TUBING, RECTANGULAR - 1 1/4" x 2" |
| | | |
| | | |

USED ON MODEL
ARRIEL


DRAWN BY: COLE
APPROVED
HEAT TREAT
FINISH SPEC
TOLERANCES ON:
DECIMALS .XXX ± .010 FRACTIONS ± 1/32
.XX ± .03 ANGLES ± .5°
X ± .1
UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES
.015 X 45° PR .015 R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

RB RED BARN MACHINE

TITLE
BATI SUPPORT MOTEUR

DWG NO. RI
SCALE NTS DATE 1-10-05 SHEET 1 of

| REVISIONS | | | |
|-----------|-------------|------|---------|
| REV | DESCRIPTION | DATE | APPROVE |
| | | | |



| PART # | QTY | DESCRIPTION | USED ON MODEL | DRAWN BY: |
|--------|-----|-----------------------------------|---------------|---|
| | | | | COLE |
| -1D | 1 | TUBING, RECTANGULAR - 1 1/4" x 2" | ARRIEL | APPROVED |
| | | | | HEAT TREAT |
| | | | | FINISH SPEC |
| | | | | TOLERANCES ON: DECIMALS .XXX ± .010 FRACTIONS ± 1/32 XX ± .03 ANGLES ± 5° X ± .1 |
| | | | | UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |
| | | | | DWG NO. RI |
| | | | | SCALE NTS DATE 1-10-05 SHEET 1 of |

